ELSEVIER

Journal of Nuclear Materials 247 (1997) 349–352

journal of nuclear materials

Author index

Adamson, M.G., see Krikorian, O.H. 247 (1997) 161
Agarwal, R., see Sood, D.D. 247 (1997) 293
Akabori, M., R.G. Haire, J.K. Gibson, Y. Okamoto and T. Ogawa, An X-ray diffraction study of the Np–Ni system 247 (1997) 240
Akabori, M., see Ogawa, T. 247 (1997) 215
Amaya, M. and M. Hirai, Recovery behavior of thermal conductivity in irradiated UO_2 pellets 247 (1997) 76
Anthonysamy, S., K. Nagarajan and P.R. Vasudeva Rao, Studies on the oxygen potentials of $(U_yTh_{1-y})O_{2+x}$ solid solutions 247 (1997) 273
Antony, M.P., see Vidhya, R. 247 (1997) 158
Arai, Y., see Nakajima, K. 247 (1997) 33
Arima, T., see Sato, I. 247 (1997) 46
Arita, Y., K. Nagarajan, T. Ohashi and T. Matsui, Heat capacity measurements on $CaTiO_3$ doped with Ce and La 247 (1997) 94
Arita, Y., N. Sasajima and T. Matsui, Thermodynamic study on UPd_3 and $U(Pd_{0.85}Rh_{0.15})_3$ 247 (1997) 232
Arita, Y., see Hanajiri, Y. 247 (1997) 285
Arita, Y., see Matsui, T. 247 (1997) 72

Babu, R., see Prabhakara Reddy, B. 247 (1997) 235
Balasubramanian, R., see Lakshmi Narasimhan, T.S. 247 (1997) 28
Bharadwaj, S.R., see Chattopadhyay, G. 247 (1997) 277

Chattopadhyay, G., S. Vana Varamban and S.R. Bharadwaj, Thermodynamics and phase equilibria of the system Ru–Te–O 247 (1997) 277

Ebbinghaus, B.B., see Krikorian, O.H. 247 (1997) 161

Fontes Jr., A.S., see Krikorian, O.H. 247 (1997) 161
Fuger, J., see Merli, L. 247 (1997) 172
Fujino, T., N. Sato and K. Yamada, Characteristic thermodynamic properties of $M_yU_{1-y}O_{2+x}$ ($M = M^{4+}$, M^{3+} and M^{2+}; $x \lessgtr 0$) solid solutions and the phase behavior of Mg solid solution in low oxygen pressures 247 (1997) 265
Fujita, R., see Iizuka, M. 247 (1997) 183
Fujita, R., see Koyama, T. 247 (1997) 227
Fukuda, K., see Yoneyama, M. 247 (1997) 50
Furuya, H., see Sato, I. 247 (1997) 46

Gaweł, W., Regularities of phase equilibria in the binary uranium tetrachloride systems and their thermodynamic interpretation 247 (1997) 301
Gibson, J.K., see Akabori, M. 247 (1997) 240
Gnanasekaran, T., see Mathews, T. 247 (1997) 280

Haire, R.G., The high-temperature vaporization/decomposition of actinide materials: fundamental and technological aspects 247 (1997) 1
Haire, R.G., see Akabori, M. 247 (1997) 240
Haire, R.G., see Ogawa, T. 247 (1997) 215
Hanajiri, Y., H. Yokoi, T. Matsui, Y. Arita, T. Nagasaki and H. Shigematsu, Phase equilibria of $CaTiO_3$ doped with Ce, Nd and U 247 (1997) 285
Hanajiri, Y., see Matsui, T. 247 (1997) 72
Hayashi, H., see Okamoto, Y. 247 (1997) 86
Henderson, J., see Matzke, Hj. 247 (1997) 121
Hirai, M., see Amaya, M. 247 (1997) 76
Hirota, M., see Nakagawa, T. 247 (1997) 127
Horie, M., see Uno, M. 247 (1997) 191
Hosoya, Y., T. Terai, S. Tanaka and Y. Takahashi, Phase equilibria of $NdCl_3$–NaCl–KCl 247 (1997) 304
Huang, J., M. Yamawaki, K. Yamaguchi, M. Yasumoto, H. Sakurai and Y. Suzuki, Investigation of vaporization thermodynamics of $SrUO_3$ by means of mass spectrometry 247 (1997) 17
Hubberstey, P., Pb–17Li and lithium: A thermodynamic rationalisation of their radically different chemistry 247 (1997) 208

Idehara, K., see Nakagawa, T. 247 (1997) 147
Idemitsu, K., see Sato, I. 247 (1997) 46
Iizuka, M., T. Koyama, N. Kondo, R. Fujita and H. Tanaka, Actinides recovery from molten salt/liquid metal system by electrochemical methods 247 (1997) 183
Iizuka, M., see Koyama, T. 247 (1997) 227
Imamura, M. and K. Une, High temperature steam oxidation of UO_2 fuel pellets 247 (1997) 131
Inoue, T., see Shoji, Y. 247 (1997) 37
Ishida, K., see Yasui, K. 247 (1997) 345
Ishii, T. and T. Mizuno, An investigation of the thermal conductivity of Cs_2MoO_4 247 (1997) 82
Ito, A., see Yoneyama, M. 247 (1997) 50

Johnson, C.E., see Johnson, I. 247 (1997) 177
Johnson, I. and C.E. Johnson, Light element thermodynamics related to actinide separations 247 (1997) 177
Joseph, M., N. Sivakumar, D.D.A. Raj and C.K. Mathews, Laser induced vaporization

mass spectrometric studies on UO_2 and graphite 247 (1997) 21

Kajitani, M., see Sato, I. 247 (1997) 46
Kashibe, S. and K. Une, Effect of external restraint on bubble swelling in UO_2 fuels 247 (1997) 138
Kashiwara, Y., see Yamanaka, S. 247 (1997) 244
Kato, T. and T. Tsuji, Study on order–disorder transition of Hf–O alloys (O/Hf = 0.11 – 0.22) by heat capacity measurement 247 (1997) 98
Kato, T., see Yamashita, T. 247 (1997) 90
Katsura, M., see Nakagawa, T. 247 (1997) 127
Katsura, M., see Nakagawa, T. 247 (1997) 147
Katsura, M., see Yamada, K. 247 (1997) 289
Katsura, M., see Yamanaka, S. 247 (1997) 244
Katsura, M., see Yamanaka, S. 247 (1997) 252
Katsura, M., see Yamanaka, S. 247 (1997) 315
Katsura, M., see Yamanaka, S. 247 (1997) 328
Kayano, H., see Yamamoto, T. 247 (1997) 339
Kinoshita, H., see Uno, M. 247 (1997) 191
Kinoshita, M., see Matzke, Hj. 247 (1997) 108
Kleykamp, H., Phase equilibria in the UO_2–austenitic steel system up to 3000°C 247 (1997) 103
Kobayashi, F., see Ogawa, T. 247 (1997) 215
Kondo, N., see Iizuka, M. 247 (1997) 183
Kondo, N., see Koyama, T. 247 (1997) 227
Koyama, T., M. Iizuka, N. Kondo, R. Fujita and H. Tanaka, Electrodeposition of uranium in stirred liquid cadmium cathode 247 (1997) 227
Koyama, T., see Iizuka, M. 247 (1997) 183
Krikorian, O.H., A.S. Fontes Jr., B.B. Ebbinghaus and M.G. Adamson, Transpiration studies on the volatilities of $PuO_3(g)$ and $PuO_2(OH)_2(g)$ from $PuO_2(s)$ in the presence of steam and oxygen and application to plutonium volatility in mixed-waste thermal oxidation processors 247 (1997) 161
Krishnamurthy, D., see Mathews, T. 247 (1997) 280
Kurata, M., see Nakamura, K. 247 (1997) 309
Kurosaki, K., see Uno, M. 247 (1997) 322

Lakshmi Narasimhan, T.S., R. Balasubramanian, S. Nalini and M. Sai Baba, Vaporisation studies on tellurium dioxide: A Knudsen effusion mass spectrometric study. 247 (1997) 28
Lambert, B., see Merli, L. 247 (1997) 172
Lucuta, P.G., see Matzke, Hj. 247 (1997) 121

Masumura, S., see Terai, T. 247 (1997) 222
Mathews, C.K., see Joseph, M. 247 (1997) 21
Mathews, T., D. Krishnamurthy and T. Gnanasekaran, An electrochemical investigation of the thermodynamic properties of $Na_2Mo_2O_7$ and Na_2NiO_2 247 (1997) 280
Matsui, T., H. Shigematsu, Y. Arita, Y. Hanajiri, N. Nakamitsu and T. Nagasaki, High temperature phase transitions of $CaTiO_3$ and $(Ca_{0.85}Nd_{0.15})TiO_3$ by X-ray diffractometry and differential thermal analysis 247 (1997) 72
Matsui, T., see Arita, Y. 247 (1997) 232
Matsui, T., see Arita, Y. 247 (1997) 94
Matsui, T., see Hanajiri, Y. 247 (1997) 285
Matsui, T., see Nitani, N. 247 (1997) 59
Matsui, T., see Shoji, Y. 247 (1997) 37
Matsui, T., see Suzuki, T. 247 (1997) 249
Matsuoka, H., see Nakagawa, T. 247 (1997) 127
Matsuoka, H., see Nakagawa, T. 247 (1997) 147
Matzke, Hj. and M. Kinoshita, Polygonization and high burnup structure in nuclear fuels 247 (1997) 108
Matzke, Hj., P.G. Lucuta, R.A. Verrall and J. Henderson, Specific heat of UO_2-based SIMFUEL 247 (1997) 121
Merli, L., B. Lambert and J. Fuger, Thermochemistry of lanthanum, neodymium, samarium and americium trihydroxides and their relation to the corresponding hydroxycarbonates 247 (1997) 172
Minamiguchi, T., see Yamanaka, S. 247 (1997) 328
Minato, K., see Ogawa, T. 247 (1997) 151
Mitsugashira, T., see Moriyama, H. 247 (1997) 197
Miyake, C., see Uno, M. 247 (1997) 191
Miyake, M., see Nakagawa, T. 247 (1997) 127
Miyake, M., see Yamanaka, S. 247 (1997) 252
Miyake, M., see Yamanaka, S. 247 (1997) 315
Miyashita, Y., see Moriyama, H. 247 (1997) 197
Mizuno, T., see Ishii, T. 247 (1997) 82
Moritani, K., see Moriyama, H. 247 (1997) 197
Moriyama, H., H. Yamana, S. Nishikawa, Y. Miyashita, K. Moritani and T. Mitsugashira, Equilibrium distributions of actinides and lanthanides in molten chloride salt and liquid zinc binary phase system 247 (1997) 197
Muromura, T., see Nitani, N. 247 (1997) 59

Nagarajan, K., see Anthonysamy, S. 247 (1997) 273
Nagarajan, K., see Arita, Y. 247 (1997) 94
Nagarajan, K., see Prabhakara Reddy, B. 247 (1997) 235
Nagasaki, T., see Hanajiri, Y. 247 (1997) 285
Nagasaki, T., see Matsui, T. 247 (1997) 72
Nakagawa, T., H. Matsuoka, M. Sawa, K. Idehara and M. Katsura, Preparation of lanthanide nitrides by carbothermic reduction using ammonia 247 (1997) 147
Nakagawa, T., H. Matsuoka, M. Sawa, M. Hirota, M. Miyake and M. Katsura, Formation of uranium and cerium nitrides by the reaction of carbides with NH_3 and N_2/H_2 stream 247 (1997) 127
Nakagawa, T., see Yamada, K. 247 (1997) 289
Nakajima, K., Y. Arai and Y. Suzuki, Vaporization behavior of neptunium mononitride 247 (1997) 33
Nakamitsu, N., see Matsui, T. 247 (1997) 72
Nakamura, A., see Uno, M. 247 (1997) 322
Nakamura, K. and M. Kurata, Thermal analysis of pseudo-binary system: LiCl–KCl eutectic and lanthanide trichloride 247 (1997) 309
Nakamura, K., see Shoji, Y. 247 (1997) 37
Nalini, S., see Lakshmi Narasimhan, T.S. 247 (1997) 28
Nishikawa, S., see Moriyama, H. 247 (1997) 197
Nitani, N., H. Yokoi, T. Yamashita, T. Ohmichi, T. Matsui and T. Muromura, Phase relations and distribution of fission products in the

Pu rock-like fuels with fluorite, spinel and corundum phases 247 (1997) 59
Nitani, N., see Yamashita, T. 247 (1997) 90

Ogawa, T., M. Akabori, F. Kobayashi and R.G. Haire, Thermochemical modeling of actinide alloys related to advanced fuel cycles 247 (1997) 215
Ogawa, T., Y. Shirasu, K. Minato and H. Serizawa, Thermodynamics of carbothermic synthesis of actinide mononitrides 247 (1997) 151
Ogawa, T., see Akabori, M. 247 (1997) 240
Ogawa, T., see Okamoto, Y. 247 (1997) 86
Ogawa, T., see Yoneyama, M. 247 (1997) 50
Ohashi, H., see Yoneyama, M. 247 (1997) 50
Ohashi, T., see Arita, Y. 247 (1997) 94
Ohmichi, T., see Nitani, N. 247 (1997) 59
Okamoto, Y., H. Hayashi and T. Ogawa, Investigation of thermodynamic properties of molten rare earth trichlorides by molecular dynamics method 247 (1997) 86
Okamoto, Y., see Akabori, M. 247 (1997) 240
Olander, D.R. and W.-E. Wang, Thermodynamics of the U–O and Zr-systems and application to analysis of fuel liquefaction during severe accidents in light water reactors 247 (1997) 258
Ono, F., see Suwarno, H. 247 (1997) 333

Park, H.-S., see Park, K. 247 (1997) 116
Park, K., M.-S. Yang and H.-S. Park, The stoichiometry and the oxygen potential change of urania fuels during irradiation 247 (1997) 116
Prabhakara Reddy, B., R. Babu, K. Nagarajan and P.R. Vasudeva Rao, Enthalpies of formation of $CeNi_2$ and $CeNi_5$ by calorimetry 247 (1997) 235

Raj, D.D.A., see Joseph, M. 247 (1997) 21

Sai Baba, M., see Lakshmi Narasimhan, T.S. 247 (1997) 28
Sakurai, H., see Huang, J. 247 (1997) 17
Sannomiya, Y., see Yamanaka, S. 247 (1997) 328
Sasajima, N., see Arita, Y. 247 (1997) 232
Sato, I., H. Furuya, K. Idemitsu, T. Arima, K. Yamamoto and M. Kajitani, Distribution of molybdenum in FBR fuel irradiated to high burnup 247 (1997) 46
Sato, N., see Fujino, T. 247 (1997) 265
Sato, S., see Yoneyama, M. 247 (1997) 50
Sawa, M., see Nakagawa, T. 247 (1997) 127
Sawa, M., see Nakagawa, T. 247 (1997) 147
Serizawa, H., see Ogawa, T. 247 (1997) 151
Shigematsu, H., see Hanajiri, Y. 247 (1997) 285
Shigematsu, H., see Matsui, T. 247 (1997) 72
Shilov, A., see Stolyarova, V. 247 (1997) 41
Shirasu, Y., see Ogawa, T. 247 (1997) 151
Shoji, Y., T. Matsui, K. Nakamura and T. Inoue, Vapor pressure measurements of La–Gd alloys 247 (1997) 37
Shultz, M., see Stolyarova, V. 247 (1997) 41
Sivakumar, N., see Joseph, M. 247 (1997) 21
Sood, D.D., R. Agarwal and V. Venugopal, Phase diagram calculations of the U–Pu–N system with carbon and oxygen impurities 247 (1997) 293
Stolyarova, V., Vaporization features of oxide systems studied by high-temperature mass spectrometry 247 (1997) 7
Stolyarova, V., A. Shilov and M. Shultz, Thermodynamic properties of the UO_2–ZrO_2 system studied by the isothermal mass spectrometric vaporization method 247 (1997) 41
Sugiyama, H., see Yamanaka, S. 247 (1997) 244
Suwarno, H., T. Yamamoto, F. Ono, K. Yamaguchi and M. Yamawaki, Hydrogen desorption properties of hydrogenated U–Th–Zr alloys 247 (1997) 333
Suwarno, H., see Yamamoto, T. 247 (1997) 339
Suzuki, A., see Yamawaki, M. 247 (1997) 11
Suzuki, T. and T. Matsui, Heat capacity measurements of V–Ti–Cr ternary alloys 247 (1997) 249
Suzuki, Y., see Huang, J. 247 (1997) 17
Suzuki, Y., see Nakajima, K. 247 (1997) 33

Takahashi, Y., see Hosoya, Y. 247 (1997) 304
Takahashi, Y., see Terai, T. 247 (1997) 222
Takeuchi, M., S. Tanaka and M. Yamawaki, Temperature effect on technetium(VII) extraction by CMPO and TBP 247 (1997) 203
Tanaka, H., see Iizuka, M. 247 (1997) 183
Tanaka, H., see Koyama, T. 247 (1997) 227
Tanaka, S., see Hosoya, Y. 247 (1997) 304
Tanaka, S., see Takeuchi, M. 247 (1997) 203
Terai, T., Y. Takahashi, S. Masumura and T. Yoneoka, Heat capacity and phase transition of Zircaloy-4 247 (1997) 222
Terai, T., see Hosoya, Y. 247 (1997) 304
Tsuji, T., Thermochemistry of IVA transition metal–oxygen solid solutions 247 (1997) 63
Tsuji, T., see Kato, T. 247 (1997) 98
Tsuji, T., see Yamashita, T. 247 (1997) 90
Tsuji, T., see Yasui, K. 247 (1997) 345
Tsujimoto, K., see Yamanaka, S. 247 (1997) 252

Une, K., see Imamura, M. 247 (1997) 131
Une, K., see Kashibe, S. 247 (1997) 138
Uno, M., H. Kinoshita, C. Miyake and M. Horie, Identification of oxide phase and alloy phase obtained by heat treatment of calcined high level liquid waste with TiN reducing agent at 1873 K 247 (1997) 191
Uno, M., K. Kurosaki and A. Nakamura, Reactions of uranium nitride with platinum-family metals 247 (1997) 322
Uno, M., see Yamada, K. 247 (1997) 289
Uno, M., see Yamanaka, S. 247 (1997) 252

Vana Varamban, S., see Chattopadhyay, G. 247 (1997) 277
Vasudeva Rao, P.R., see Anthonysamy, S. 247 (1997) 273
Vasudeva Rao, P.R., see Prabhakara Reddy, B. 247 (1997) 235
Vasudeva Rao, P.R., see Vidhya, R. 247 (1997) 158
Venugopal, V., see Sood, D.D. 247 (1997) 293
Verrall, R.A., see Matzke, Hj. 247 (1997) 121
Vidhya, R., M.P. Antony and P.R. Vasudeva Rao, Thermodynamic studies of uranium–gadolinium–carbon system

through the carbothermic reduction of the oxides 247 (1997) 158

Wang, W.-E., see Olander, D.R. 247 (1997) 258

Yamada, K., S. Yamanaka, T. Nakagawa, M. Uno and M. Katsura, Study of the thermodynamic properties of (U, Ce)O_2 247 (1997) 289
Yamada, K., see Fujino, T. 247 (1997) 265
Yamaguchi, K., see Huang, J. 247 (1997) 17
Yamaguchi, K., see Suwarno, H. 247 (1997) 333
Yamaguchi, K., see Yamawaki, M. 247 (1997) 11
Yamamoto, K., see Sato, I. 247 (1997) 46
Yamamoto, T., H. Suwarno, H. Kayano and M. Yamawaki, Development of new reactor fuel materials: hydrogenation properties of U–Th–Zr alloys and neutron irradiation effects on their hydrides 247 (1997) 339
Yamamoto, T., see Suwarno, H. 247 (1997) 333
Yamana, H., see Moriyama, H. 247 (1997) 197
Yamanaka, S., K. Tsujimoto, T. Yamanaka, M. Uno, M. Miyake and M. Katsura, High-temperature reaction of (U, Gd)O_2 with zirconium 247 (1997) 252
Yamanaka, S., M. Miyake and M. Katsura, Study on the hydrogen solubility in zirconium alloys 247 (1997) 315
Yamanaka, S., Y. Kashiwara, H. Sugiyama and M. Katsura, Influence of interstitial oxygen and nitrogen on hydrogen solubility in vanadium 247 (1997) 244
Yamanaka, S., Y. Sannomiya, T. Minamiguchi and M. Katsura, Study on the Nb–O–H ternary system 247 (1997) 328
Yamanaka, S., see Yamada, K. 247 (1997) 289
Yamanaka, T., see Yamanaka, S. 247 (1997) 252
Yamashita, T., N. Nitani, T. Tsuji and T. Kato, Thermal expansion of neptunium–uranium mixed oxides 247 (1997) 90
Yamashita, T., see Nitani, N. 247 (1997) 59
Yamawaki, M., A. Suzuki, M. Yasumoto and K. Yamaguchi, Sweep gas chemistry effect on lithium transport from ceramic breeder blanket materials 247 (1997) 11
Yamawaki, M., see Huang, J. 247 (1997) 17
Yamawaki, M., see Suwarno, H. 247 (1997) 333
Yamawaki, M., see Takeuchi, M. 247 (1997) 203
Yamawaki, M., see Yamamoto, T. 247 (1997) 339
Yang, M.-S., see Park, K. 247 (1997) 116
Yasui, K., K. Ishida and T. Tsuji, Heat capacity measurement of $(Cr_{1-x}Fe_x)_3Te_4$ ($x = 0$–0.1) at high temperatures 247 (1997) 345
Yasumoto, M., see Huang, J. 247 (1997) 17
Yasumoto, M., see Yamawaki, M. 247 (1997) 11
Yokoi, H., see Hanajiri, Y. 247 (1997) 285
Yokoi, H., see Nitani, N. 247 (1997) 59
Yoneoka, T., see Terai, T. 247 (1997) 222
Yoneyama, M., S. Sato, H. Ohashi, T. Ogawa, A. Ito and K. Fukuda, Migration behavior of palladium in uranium dioxide 247 (1997) 50

ELSEVIER

Journal of Nuclear Materials 247 (1997) 353–361

journal of nuclear materials

Subject index

Actinides *(excludes Plutonium, Thorium and Uranium)*

The high-temperature vaporization/decomposition of actinide materials: fundamental and technological aspects, R.G. Haire 247 (1997) 1

Vaporization behavior of neptunium mononitride, K. Nakajima, Y. Arai and Y. Suzuki 247 (1997) 33

Thermodynamic properties of the UO_2–ZrO_2 system studied by the isothermal mass spectrometric vaporization method, V. Stolyarova, A. Shilov and M. Shultz 247 (1997) 41

Thermal expansion of neptunium–uranium mixed oxides, T. Yamashita, N. Nitani, T. Tsuji and T. Kato 247 (1997) 90

Thermodynamics of carbothermic synthesis of actinide mononitrides, T. Ogawa, Y. Shirasu, K. Minato and H. Serizawa 247 (1997) 151

Thermochemistry of lanthanum, neodymium, samarium and americium trihydroxides and their relation to the corresponding hydroxycarbonates, L. Merli, B. Lambert and J. Fuger 247 (1997) 172

Equilibrium distributions of actinides and lanthanides in molten chloride salt and liquid zinc binary phase system, H. Moriyama, H. Yamana, S. Nishikawa, Y. Miyashita, K. Moritani and T. Mitsugashira 247 (1997) 197

Thermochemical modeling of actinide alloys related to advanced fuel cycles, T. Ogawa, M. Akabori, F. Kobayashi and R.G. Haire 247 (1997) 215

Electrodeposition of uranium in stirred liquid cadmium cathode, T. Koyama, M. Iizuka, N. Kondo, R. Fujita and H. Tanaka 247 (1997) 227

An X-ray diffraction study of the Np–Ni system, M. Akabori, R.G. Haire, J.K. Gibson, Y. Okamoto and T. Ogawa 247 (1997) 240

Amorphization and Amorphous Materials

Formation of uranium and cerium nitrides by the reaction of carbides with NH_3 and N_2/H_2 stream, T. Nakagawa, H. Matsuoka, M. Sawa, M. Hirota, M. Miyake and M. Katsura 247 (1997) 127

Preparation of lanthanide nitrides by carbothermic reduction using ammonia, T. Nakagawa, H. Matsuoka, M. Sawa, K. Idehara and M. Katsura 247 (1997) 147

Breeding Materials

Sweep gas chemistry effect on lithium transport from ceramic breeder blanket materials, M. Yamawaki, A. Suzuki, M. Yasumoto and K. Yamaguchi 247 (1997) 11

Pb–17Li and lithium: A thermodynamic rationalisation of their radically different chemistry, P. Hubberstey 247 (1997) 208

Carbon

Laser induced vaporization mass spectrometric studies on UO_2 and graphite, M. Joseph, N. Sivakumar, D.D.A. Raj and C.K. Mathews 247 (1997) 21

Formation of uranium and cerium nitrides by the reaction of carbides with NH_3 and N_2/H_2 stream, T. Nakagawa, H. Matsuoka, M. Sawa, M. Hirota, M. Miyake and M. Katsura 247 (1997) 127

Preparation of lanthanide nitrides by carbothermic reduction using ammonia, T. Nakagawa, H. Matsuoka, M. Sawa, K. Idehara and M. Katsura 247 (1997) 147

Ceramics *(not listed elsewhere)*

Sweep gas chemistry effect on lithium transport from ceramic breeder blanket materials, M. Yamawaki, A. Suzuki, M. Yasumoto and K. Yamaguchi 247 (1997) 11

Thermodynamic studies of uranium–gadolinium–carbon system through the carbothermic reduction of the oxides, R. Vidhya, M.P. Antony and P.R. Vasudeva Rao 247 (1997) 158

Identification of oxide phase and alloy phase obtained by heat treatment of calcined high level liquid waste with TiN reducing agent at 1873 K, M. Uno, H. Kinoshita, C. Miyake and M. Horie 247 (1997) 191

Phase equilibria of $CaTiO_3$ doped with Ce, Nd and U, Y. Hanajiri, H. Yokoi, T. Matsui, Y. Arita, T. Nagasaki and H. Shigematsu 247 (1997) 285

Chemical Reactions *(includes Electrochemical and Thermochemical Reactions)*

High temperature steam oxidation of UO_2 fuel pellets, M. Imamura and K. Une 247 (1997) 131

Transpiration studies on the volatilities of $PuO_3(g)$ and $PuO_2(OH)_2(g)$ from $PuO_2(s)$ in the presence of steam and oxygen and

application to plutonium volatility in mixed-waste thermal oxidation processors, O.H. Krikorian, A.S. Fontes Jr., B.B. Ebbinghaus and M.G. Adamson 247 (1997) 161
Thermochemistry of lanthanum, neodymium, samarium and americium trihydroxides and their relation to the corresponding hydroxycarbonates, L. Merli, B. Lambert and J. Fuger 247 (1997) 172
Light element thermodynamics related to actinide separations, I. Johnson and C.E. Johnson 247 (1997) 177
Actinides recovery from molten salt/liquid metal system by electrochemical methods, M. Iizuka, T. Koyama, N. Kondo, R. Fujita and H. Tanaka 247 (1997) 183
Identification of oxide phase and alloy phase obtained by heat treatment of calcined high level liquid waste with TiN reducing agent at 1873 K, M. Uno, H. Kinoshita, C. Miyake and M. Horie 247 (1997) 191
Temperature effect on technetium(VII) extraction by CMPO and TBP, M. Takeuchi, S. Tanaka and M. Yamawaki 247 (1997) 203
Pb–17Li and lithium: A thermodynamic rationalisation of their radically different chemistry, P. Hubberstey 247 (1997) 208
High-temperature reaction of (U, Gd)O_2 with zirconium, S. Yamanaka, K. Tsujimoto, T. Yamanaka, M. Uno, M. Miyake and M. Katsura 247 (1997) 252
Thermodynamics of the U–O and Zr-systems and application to analysis of fuel liquefaction during severe accidents in light water reactors, D.R. Olander and W.-E. Wang 247 (1997) 258
Reactions of uranium nitride with platinum-family metals, M. Uno, K. Kurosaki and A. Nakamura 247 (1997) 322

Cladding Materials
Heat capacity and phase transition of Zircaloy-4, T. Terai, Y. Takahashi, S. Masumura and T. Yoneoka 247 (1997) 222
High-temperature reaction of (U, Gd)O_2 with zirconium, S. Yamanaka, K. Tsujimoto, T. Yamanaka, M. Uno, M. Miyake and M. Katsura 247 (1997) 252

Compatibility and Corrosion *(includes Stress Corrosion Cracking)*
Pb–17Li and lithium: A thermodynamic rationalisation of their radically different chemistry, P. Hubberstey 247 (1997) 208

Crystallographic Properties
High temperature phase transitions of $CaTiO_3$ and $(Ca_{0.85}Nd_{0.15})TiO_3$ by X-ray diffractometry and differential thermal analysis, T. Matsui, H. Shigematsu, Y. Arita, Y. Hanajiri, N. Nakamitsu and T. Nagasaki 247 (1997) 72
An X-ray diffraction study of the Np–Ni system, M. Akabori, R.G. Haire, J.K. Gibson, Y. Okamoto and T. Ogawa 247 (1997) 240

Defects and Defect Structures *(excludes by Irradiation)*
Thermochemistry of IVA transition metal–oxygen solid solutions, T. Tsuji 247 (1997) 63
Heat capacity measurement of $(Cr_{1-x}Fe_x)_3Te_4$ ($x = 0$–0.1) at high temperatures, K. Yasui, K. Ishida and T. Tsuji 247 (1997) 345

Diffusion
Migration behavior of palladium in uranium dioxide, M. Yoneyama, S. Sato, H. Ohashi, T. Ogawa, A. Ito and K. Fukuda 247 (1997) 50

Environmental Effects
Sweep gas chemistry effect on lithium transport from ceramic breeder blanket materials, M. Yamawaki, A. Suzuki, M. Yasumoto and K. Yamaguchi 247 (1997) 11

Experimental Techniques
The high-temperature vaporization/decomposition of actinide materials: fundamental and technological aspects, R.G. Haire 247 (1997) 1
Sweep gas chemistry effect on lithium transport from ceramic breeder blanket materials, M. Yamawaki, A. Suzuki, M. Yasumoto and K. Yamaguchi 247 (1997) 11
Thermodynamic studies of uranium–gadolinium–carbon system through the carbothermic reduction of the oxides, R. Vidhya, M.P. Antony and P.R. Vasudeva Rao 247 (1997) 158

Fabrication
Thermodynamics of carbothermic synthesis of actinide mononitrides, T. Ogawa, Y. Shirasu, K. Minato and H. Serizawa 247 (1997) 151

Fast Reactors
Distribution of molybdenum in FBR fuel irradiated to high burnup, I. Sato, H. Furuya, K. Idemitsu, T. Arima, K. Yamamoto and M. Kajitani 247 (1997) 46
An investigation of the thermal conductivity of Cs_2MoO_4, T. Ishii and T. Mizuno 247 (1997) 82
Thermodynamic studies of uranium–gadolinium–carbon system through the carbothermic reduction of the oxides, R. Vidhya, M.P. Antony and P.R. Vasudeva Rao 247 (1997) 158
Actinides recovery from molten salt/liquid metal system by electrochemical methods, M. Iizuka, T. Koyama, N. Kondo, R. Fujita and H. Tanaka 247 (1997) 183
Enthalpies of formation of $CeNi_2$ and $CeNi_5$ by calorimetry, B. Prabhakara Reddy, R. Babu, K. Nagarajan and P.R. Vasudeva Rao 247 (1997) 235
Phase diagram calculations of the U–Pu–N system with carbon and oxygen impurities, D.D. Sood, R. Agarwal and V. Venugopal 247 (1997) 293

Heat capacity measurement of $(Cr_{1-x}Fe_x)_3Te_4$ ($x = 0$–0.1) at high temperatures, K. Yasui, K. Ishida and T. Tsuji 247 (1997) 345

Fission Products

Vaporisation studies on tellurium dioxide: A Knudsen effusion mass spectrometric study, T.S. Lakshmi Narasimhan, R. Balasubramanian, S. Nalini and M. Sai Baba 247 (1997) 28
Distribution of molybdenum in FBR fuel irradiated to high burnup, I. Sato, H. Furuya, K. Idemitsu, T. Arima, K. Yamamoto and M. Kajitani 247 (1997) 46
Phase relations and distribution of fission products in the Pu rock-like fuels with fluorite, spinel and corundum phases, N. Nitani, H. Yokoi, T. Yamashita, T. Ohmichi, T. Matsui and T. Muromura 247 (1997) 59
An investigation of the thermal conductivity of Cs_2MoO_4, T. Ishii and T. Mizuno 247 (1997) 82
Effect of external restraint on bubble swelling in UO_2 fuels, S. Kashibe and K. Une 247 (1997) 138
Thermodynamic studies of uranium–gadolinium–carbon system through the carbothermic reduction of the oxides, R. Vidhya, M.P. Antony and P.R. Vasudeva Rao 247 (1997) 158
Equilibrium distributions of actinides and lanthanides in molten chloride salt and liquid zinc binary phase system, H. Moriyama, H. Yamana, S. Nishikawa, Y. Miyashita, K. Moritani and T. Mitsugashira 247 (1997) 197
Thermodynamic study on UPd_3 and $U(Pd_{0.85}Rh_{0.15})_3$, Y. Arita, N. Sasajima and T. Matsui 247 (1997) 232
Reactions of uranium nitride with platinum-family metals, M. Uno, K. Kurosaki and A. Nakamura 247 (1997) 322
Heat capacity measurement of $(Cr_{1-x}Fe_x)_3Te_4$ ($x = 0$–0.1) at high temperatures, K. Yasui, K. Ishida and T. Tsuji 247 (1997) 345

Fuels and Fuel Elements

Migration behavior of palladium in uranium dioxide, M. Yoneyama, S. Sato, H. Ohashi, T. Ogawa, A. Ito and K. Fukuda 247 (1997) 50
Phase relations and distribution of fission products in the Pu rock-like fuels with fluorite, spinel and corundum phases, N. Nitani, H. Yokoi, T. Yamashita, T. Ohmichi, T. Matsui and T. Muromura 247 (1997) 59
Recovery behavior of thermal conductivity in irradiated UO_2 pellets, M. Amaya and M. Hirai 247 (1997) 76
Polygonization and high burnup structure in nuclear fuels, Hj. Matzke and M. Kinoshita 247 (1997) 108
The stoichiometry and the oxygen potential change of urania fuels during irradiation, K. Park, M.-S. Yang and H.-S. Park 247 (1997) 116
Specific heat of UO_2-based SIMFUEL, Hj. Matzke, P.G. Lucuta, R.A. Verrall and J. Henderson 247 (1997) 121
Formation of uranium and cerium nitrides by the reaction of carbides with NH_3 and N_2/H_2 stream, T. Nakagawa, H. Matsuoka, M. Sawa, M. Hirota, M. Miyake and M. Katsura 247 (1997) 127
Preparation of lanthanide nitrides by carbothermic reduction using ammonia, T. Nakagawa, H. Matsuoka, M. Sawa, K. Idehara and M. Katsura 247 (1997) 147
High-temperature reaction of $(U, Gd)O_2$ with zirconium, S. Yamanaka, K. Tsujimoto, T. Yamanaka, M. Uno, M. Miyake and M. Katsura 247 (1997) 252
Thermodynamics of the U–O and Zr-systems and application to analysis of fuel liquefaction during severe accidents in light water reactors, D.R. Olander and W.-E. Wang 247 (1997) 258
Studies on the oxygen potentials of $(U_yTh_{1-y})O_{2+x}$ solid solutions, S. Anthonysamy, K. Nagarajan and P.R. Vasudeva Rao 247 (1997) 273
Study of the thermodynamic properties of $(U, Ce)O_2$, K. Yamada, S. Yamanaka, T. Nakagawa, M. Uno and M. Katsura 247 (1997) 289
Phase diagram calculations of the U–Pu–N system with carbon and oxygen impurities, D.D. Sood, R. Agarwal and V. Venugopal 247 (1997) 293
Reactions of uranium nitride with platinum-family metals, M. Uno, K. Kurosaki and A. Nakamura 247 (1997) 322
Hydrogen desorption properties of hydrogenated U–Th–Zr alloys, H. Suwarno, T. Yamamoto, F. Ono, K. Yamaguchi and M. Yamawaki 247 (1997) 333

Gases in Materials *(excludes Hydrogen, Helium and Tritium)*

Effect of external restraint on bubble swelling in UO_2 fuels, S. Kashibe and K. Une 247 (1997) 138

Hydrogen and Hydrides *(includes Deuterium and Deuterides)*

Influence of interstitial oxygen and nitrogen on hydrogen solubility in vanadium, S. Yamanaka, Y. Kashiwara, H. Sugiyama and M. Katsura 247 (1997) 244
Study on the hydrogen solubility in zirconium alloys, S. Yamanaka, M. Miyake and M. Katsura 247 (1997) 315
Study on the Nb–O–H ternary system, S. Yamanaka, Y. Sannomiya, T. Minamiguchi and M. Katsura 247 (1997) 328
Hydrogen desorption properties of hydrogenated U–Th–Zr alloys, H. Suwarno, T. Yamamoto, F. Ono, K. Yamaguchi and M. Yamawaki 247 (1997) 333
Development of new reactor fuel materials: hydrogenation properties of U–Th–Zr alloys and neutron irradiation effects on their hydrides, T. Yamamoto, H. Suwarno, H. Kayano and M. Yamawaki 247 (1997) 339

Interfaces
An X-ray diffraction study of the Np–Ni system, M. Akabori, R.G. Haire, J.K. Gibson, Y. Okamoto and T. Ogawa 247 (1997) 240

Irradiation *(not listed elsewhere, includes Irradiation History or Schedule)*
Recovery behavior of thermal conductivity in irradiated UO_2 pellets, M. Amaya and M. Hirai 247 (1997) 76
Polygonization and high burnup structure in nuclear fuels, Hj. Matzke and M. Kinoshita 247 (1997) 108

Kinetics
High temperature steam oxidation of UO_2 fuel pellets, M. Imamura and K. Une 247 (1997) 131
Temperature effect on technetium(VII) extraction by CMPO and TBP, M. Takeuchi, S. Tanaka and M. Yamawaki 247 (1997) 203

Laser
Laser induced vaporization mass spectrometric studies on UO_2 and graphite, M. Joseph, N. Sivakumar, D.D.A. Raj and C.K. Mathews 247 (1997) 21

Liquid Metals
Actinides recovery from molten salt/liquid metal system by electrochemical methods, M. Iizuka, T. Koyama, N. Kondo, R. Fujita and H. Tanaka 247 (1997) 183
Pb–17Li and lithium: A thermodynamic rationalisation of their radically different chemistry, P. Hubberstey 247 (1997) 208
Electrodeposition of uranium in stirred liquid cadmium cathode, T. Koyama, M. Iizuka, N. Kondo, R. Fujita and H. Tanaka 247 (1997) 227

Magnesium, Magnesium Alloys and Compounds
Characteristic thermodynamic properties of $M_yU_{1-y}O_{2+x}$ ($M = M^{4+}$, M^{3+} and M^{2+}; $x \gtrless 0$) solid solutions and the phase behavior of Mg solid solution in low oxygen pressures, T. Fujino, N. Sato and K. Yamada 247 (1997) 265

Mathematical and Computational Methods
Investigation of thermodynamic properties of molten rare earth trichlorides by molecular dynamics method, Y. Okamoto, H. Hayashi and T. Ogawa 247 (1997) 86

Metals, Alloys and Compounds *(not listed elsewhere)*
Vapor pressure measurements of La–Gd alloys, Y. Shoji, T. Matsui, K. Nakamura and T. Inoue 247 (1997) 37
Study on order–disorder transition of Hf–O alloys ($O/Hf = 0.11 - 0.22$) by heat capacity measurement, T. Kato and T. Tsuji 247 (1997) 98
Identification of oxide phase and alloy phase obtained by heat treatment of calcined high level liquid waste with TiN reducing agent at 1873 K, M. Uno, H. Kinoshita, C. Miyake and M. Horie 247 (1997) 191
Electrodeposition of uranium in stirred liquid cadmium cathode, T. Koyama, M. Iizuka, N. Kondo, R. Fujita and H. Tanaka 247 (1997) 227
Enthalpies of formation of $CeNi_2$ and $CeNi_5$ by calorimetry, B. Prabhakara Reddy, R. Babu, K. Nagarajan and P.R. Vasudeva Rao 247 (1997) 235
Thermodynamics and phase equilibria of the system Ru–Te–O, G. Chattopadhyay, S. Vana Varamban and S.R. Bharadwaj 247 (1997) 277
Phase equilibria of $NdCl_3$–NaCl–KCl, Y. Hosoya, T. Terai, S. Tanaka and Y. Takahashi 247 (1997) 304

Microstructure and Texture *(excludes by Irradiation)*
Migration behavior of palladium in uranium dioxide, M. Yoneyama, S. Sato, H. Ohashi, T. Ogawa, A. Ito and K. Fukuda 247 (1997) 50
Polygonization and high burnup structure in nuclear fuels, Hj. Matzke and M. Kinoshita 247 (1997) 108

Molybdenum, Molybdenum Alloys and Compounds
Distribution of molybdenum in FBR fuel irradiated to high burnup, I. Sato, H. Furuya, K. Idemitsu, T. Arima, K. Yamamoto and M. Kajitani 247 (1997) 46

Neutron Irradiation
Development of new reactor fuel materials: hydrogenation properties of U–Th–Zr alloys and neutron irradiation effects on their hydrides, T. Yamamoto, H. Suwarno, H. Kayano and M. Yamawaki 247 (1997) 339

Nickel, Nickel Alloys and Compounds
Enthalpies of formation of $CeNi_2$ and $CeNi_5$ by calorimetry, B. Prabhakara Reddy, R. Babu, K. Nagarajan and P.R. Vasudeva Rao 247 (1997) 235
An X-ray diffraction study of the Np–Ni system, M. Akabori, R.G. Haire, J.K. Gibson, Y. Okamoto and T. Ogawa 247 (1997) 240

Niobium, Niobium Alloys and Compounds
Study on the Nb–O–H ternary system, S. Yamanaka, Y. Sannomiya, T. Minamiguchi and M. Katsura 247 (1997) 328

Optical Microscopy
High temperature steam oxidation of UO_2 fuel pellets, M. Imamura and K. Une 247 (1997) 131

Phase Equilibria *(includes Constitution, Phase Stability, Phase Instability)*
Phase relations and distribution of fission products in the Pu rock-like fuels with fluorite, spinel and corundum phases, N. Nitani, H. Yokoi, T. Yamashita, T. Ohmichi, T. Matsui and T. Muromura 247 (1997) 59
Phase equilibria in the UO_2–austenitic steel system up to 3000°C, H. Kleykamp 247 (1997) 103

Thermodynamics of carbothermic synthesis of actinide mononitrides, T. Ogawa, Y. Shirasu, K. Minato and H. Serizawa 247 (1997) 151
Thermodynamic studies of uranium–gadolinium–carbon system through the carbothermic reduction of the oxides, R. Vidhya, M.P. Antony and P.R. Vasudeva Rao 247 (1997) 158
Thermochemical modeling of actinide alloys related to advanced fuel cycles, T. Ogawa, M. Akabori, F. Kobayashi and R.G. Haire 247 (1997) 215
Characteristic thermodynamic properties of $M_yU_{1-y}O_{2+x}$ ($M = M^{4+}$, M^{3+} and M^{2+}; $x \gtrless 0$) solid solutions and the phase behavior of Mg solid solution in low oxygen pressures, T. Fujino, N. Sato and K. Yamada 247 (1997) 265
Thermodynamics and phase equilibria of the system Ru–Te–O, G. Chattopadhyay, S. Vana Varamban and S.R. Bharadwaj 247 (1997) 277
Phase equilibria of $CaTiO_3$ doped with Ce, Nd and U, Y. Hanajiri, H. Yokoi, T. Matsui, Y. Arita, T. Nagasaki and H. Shigematsu 247 (1997) 285
Phase diagram calculations of the U–Pu–N system with carbon and oxygen impurities, D.D. Sood, R. Agarwal and V. Venugopal 247 (1997) 293
Regularities of phase equilibria in the binary uranium tetrachloride systems and their thermodynamic interpretation, W. Gaweł 247 (1997) 301
Phase equilibria of $NdCl_3$–NaCl–KCl, Y. Hosoya, T. Terai, S. Tanaka and Y. Takahashi 247 (1997) 304
Thermal analysis of pseudo-binary system: LiCl–KCl eutectic and lanthanide trichloride, K. Nakamura and M. Kurata 247 (1997) 309
Reactions of uranium nitride with platinum-family metals, M. Uno, K. Kurosaki and A. Nakamura 247 (1997) 322

Phase Transformation *(includes Evaporation, Sublimation)*

Vaporization features of oxide systems studied by high-temperature mass spectrometry, V. Stolyarova 247 (1997) 7
Thermodynamic properties of the UO_2–ZrO_2 system studied by the isothermal mass spectrometric vaporization method, V. Stolyarova, A. Shilov and M. Shultz 247 (1997) 41
Thermochemistry of IVA transition metal–oxygen solid solutions, T. Tsuji 247 (1997) 63
High temperature phase transitions of $CaTiO_3$ and $(Ca_{0.85}Nd_{0.15})TiO_3$ by X-ray diffractometry and differential thermal analysis, T. Matsui, H. Shigematsu, Y. Arita, Y. Hanajiri, N. Nakamitsu and T. Nagasaki 247 (1997) 72
Heat capacity measurements on $CaTiO_3$ doped with Ce and La, Y. Arita, K. Nagarajan, T. Ohashi and T. Matsui 247 (1997) 94
Study on order–disorder transition of Hf–O alloys (O/Hf = 0.11 − 0.22) by heat capacity measurement, T. Kato and T. Tsuji 247 (1997) 98
Heat capacity and phase transition of Zircaloy-4, T. Terai, Y. Takahashi, S. Masumura and T. Yoneoka 247 (1997) 222
Thermal analysis of pseudo-binary system: LiCl–KCl eutectic and lanthanide trichloride, K. Nakamura and M. Kurata 247 (1997) 309
Heat capacity measurement of $(Cr_{1-x}Fe_x)_3Te_4$ ($x = 0$–0.1) at high temperatures, K. Yasui, K. Ishida and T. Tsuji 247 (1997) 345

Physical Properties *(not listed elsewhere)*

Study of the thermodynamic properties of (U, Ce)O_2, K. Yamada, S. Yamanaka, T. Nakagawa, M. Uno and M. Katsura 247 (1997) 289

Plutonium, Plutonium Alloys and Compounds

Phase relations and distribution of fission products in the Pu rock-like fuels with fluorite, spinel and corundum phases, N. Nitani, H. Yokoi, T. Yamashita, T. Ohmichi, T. Matsui and T. Muromura 247 (1997) 59
Thermodynamics of carbothermic synthesis of actinide mononitrides, T. Ogawa, Y. Shirasu, K. Minato and H. Serizawa 247 (1997) 151
Transpiration studies on the volatilities of $PuO_3(g)$ and $PuO_2(OH)_2(g)$ from $PuO_2(s)$ in the presence of steam and oxygen and application to plutonium volatility in mixed-waste thermal oxidation processors, O.H. Krikorian, A.S. Fontes Jr., B.B. Ebbinghaus and M.G. Adamson 247 (1997) 161
Thermochemical modeling of actinide alloys related to advanced fuel cycles, T. Ogawa, M. Akabori, F. Kobayashi and R.G. Haire 247 (1997) 215
Phase diagram calculations of the U–Pu–N system with carbon and oxygen impurities, D.D. Sood, R. Agarwal and V. Venugopal 247 (1997) 293

Pores *(includes Porosity, Fabrication Pores)*

Polygonization and high burnup structure in nuclear fuels, Hj. Matzke and M. Kinoshita 247 (1997) 108
Effect of external restraint on bubble swelling in UO_2 fuels, S. Kashibe and K. Une 247 (1997) 138

Processing

Transpiration studies on the volatilities of $PuO_3(g)$ and $PuO_2(OH)_2(g)$ from $PuO_2(s)$ in the presence of steam and oxygen and application to plutonium volatility in mixed-waste thermal oxidation processors, O.H. Krikorian, A.S. Fontes Jr., B.B. Ebbinghaus and M.G. Adamson 247 (1997) 161
Light element thermodynamics related to actinide separations, I. Johnson and C.E. Johnson 247 (1997) 177

Radiation Effects: Physical Properties

Recovery behavior of thermal conductivity in irradiated UO_2 pellets, M. Amaya and M. Hirai 247 (1997) 76

Rare Earths
Vapor pressure measurements of La–Gd alloys, Y. Shoji, T. Matsui, K. Nakamura and T. Inoue 247 (1997) 37
High temperature phase transitions of $CaTiO_3$ and $(Ca_{0.85}Nd_{0.15})TiO_3$ by X-ray diffractometry and differential thermal analysis, T. Matsui, H. Shigematsu, Y. Arita, Y. Hanajiri, N. Nakamitsu and T. Nagasaki 247 (1997) 72
Investigation of thermodynamic properties of molten rare earth trichlorides by molecular dynamics method, Y. Okamoto, H. Hayashi and T. Ogawa 247 (1997) 86
Formation of uranium and cerium nitrides by the reaction of carbides with NH_3 and N_2/H_2 stream, T. Nakagawa, H. Matsuoka, M. Sawa, M. Hirota, M. Miyake and M. Katsura 247 (1997) 127
Preparation of lanthanide nitrides by carbothermic reduction using ammonia, T. Nakagawa, H. Matsuoka, M. Sawa, K. Idehara and M. Katsura 247 (1997) 147
Thermochemistry of lanthanum, neodymium, samarium and americium trihydroxides and their relation to the corresponding hydroxycarbonates, L. Merli, B. Lambert and J. Fuger 247 (1997) 172
Equilibrium distributions of actinides and lanthanides in molten chloride salt and liquid zinc binary phase system, H. Moriyama, H. Yamana, S. Nishikawa, Y. Miyashita, K. Moritani and T. Mitsugashira 247 (1997) 197
Enthalpies of formation of $CeNi_2$ and $CeNi_5$ by calorimetry, B. Prabhakara Reddy, R. Babu, K. Nagarajan and P.R. Vasudeva Rao 247 (1997) 235
Phase equilibria of $NdCl_3$–NaCl–KCl, Y. Hosoya, T. Terai, S. Tanaka and Y. Takahashi 247 (1997) 304
Thermal analysis of pseudo-binary system: LiCl–KCl eutectic and lanthanide trichloride, K. Nakamura and M. Kurata 247 (1997) 309

Reprocessing
Actinides recovery from molten salt/liquid metal system by electrochemical methods, M. Iizuka, T. Koyama, N. Kondo, R. Fujita and H. Tanaka 247 (1997) 183
Equilibrium distributions of actinides and lanthanides in molten chloride salt and liquid zinc binary phase system, H. Moriyama, H. Yamana, S. Nishikawa, Y. Miyashita, K. Moritani and T. Mitsugashira 247 (1997) 197
Temperature effect on technetium(VII) extraction by CMPO and TBP, M. Takeuchi, S. Tanaka and M. Yamawaki 247 (1997) 203
Electrodeposition of uranium in stirred liquid cadmium cathode, T. Koyama, M. Iizuka, N. Kondo, R. Fujita and H. Tanaka 247 (1997) 227
Phase equilibria of $NdCl_3$–NaCl–KCl, Y. Hosoya, T. Terai, S. Tanaka and Y. Takahashi 247 (1997) 304
Thermal analysis of pseudo-binary system: LiCl–KCl eutectic and lanthanide trichloride, K. Nakamura and M. Kurata 247 (1997) 309

Safety of Nuclear Reactors
Thermodynamic properties of the UO_2–ZrO_2 system studied by the isothermal mass spectrometric vaporization method, V. Stolyarova, A. Shilov and M. Shultz 247 (1997) 41
High-temperature reaction of (U, Gd)O_2 with zirconium, S. Yamanaka, K. Tsujimoto, T. Yamanaka, M. Uno, M. Miyake and M. Katsura 247 (1997) 252

Silicon and Silicon Compounds
An electrochemical investigation of the thermodynamic properties of $Na_2Mo_2O_7$ and Na_2NiO_2, T. Mathews, D. Krishnamurthy and T. Gnanasekaran 247 (1997) 280

Steels, Austenitic
Phase equilibria in the UO_2–austenitic steel system up to 3000°C, H. Kleykamp 247 (1997) 103

Swelling
Effect of external restraint on bubble swelling in UO_2 fuels, S. Kashibe and K. Une 247 (1997) 138

Thermodynamic Properties
The high-temperature vaporization/decomposition of actinide materials: fundamental and technological aspects, R.G. Haire 247 (1997) 1
Vaporisation studies on tellurium dioxide: A Knudsen effusion mass spectrometric study, T.S. Lakshmi Narasimhan, R. Balasubramanian, S. Nalini and M. Sai Baba 247 (1997) 28
Vaporization behavior of neptunium mononitride, K. Nakajima, Y. Arai and Y. Suzuki 247 (1997) 33
Vapor pressure measurements of La–Gd alloys, Y. Shoji, T. Matsui, K. Nakamura and T. Inoue 247 (1997) 37
Migration behavior of palladium in uranium dioxide, M. Yoneyama, S. Sato, H. Ohashi, T. Ogawa, A. Ito and K. Fukuda 247 (1997) 50
Thermochemistry of IVA transition metal–oxygen solid solutions, T. Tsuji 247 (1997) 63
An investigation of the thermal conductivity of Cs_2MoO_4, T. Ishii and T. Mizuno 247 (1997) 82
Investigation of thermodynamic properties of molten rare earth trichlorides by molecular dynamics method, Y. Okamoto, H. Hayashi and T. Ogawa 247 (1997) 86
Thermal expansion of neptunium–uranium mixed oxides, T. Yamashita, N. Nitani, T. Tsuji and T. Kato 247 (1997) 90
Heat capacity measurements on $CaTiO_3$ doped with Ce and La, Y. Arita, K. Nagarajan, T. Ohashi and T. Matsui 247 (1997) 94
Study on order–disorder transition of Hf–O alloys (O/Hf = 0.11 − 0.22) by heat capacity measurement, T. Kato and T. Tsuji 247 (1997) 98

The stoichiometry and the oxygen potential change of urania fuels during irradiation, K. Park, M.-S. Yang and H.-S. Park 247 (1997) 116
Specific heat of UO_2-based SIMFUEL, Hj. Matzke, P.G. Lucuta, R.A. Verrall and J. Henderson 247 (1997) 121
High temperature steam oxidation of UO_2 fuel pellets, M. Imamura and K. Une 247 (1997) 131
Thermodynamic studies of uranium–gadolinium–carbon system through the carbothermic reduction of the oxides, R. Vidhya, M.P. Antony and P.R. Vasudeva Rao 247 (1997) 158
Thermochemistry of lanthanum, neodymium, samarium and americium trihydroxides and their relation to the corresponding hydroxycarbonates, L. Merli, B. Lambert and J. Fuger 247 (1997) 172
Light element thermodynamics related to actinide separations, I. Johnson and C.E. Johnson 247 (1997) 177
Equilibrium distributions of actinides and lanthanides in molten chloride salt and liquid zinc binary phase system, H. Moriyama, H. Yamana, S. Nishikawa, Y. Miyashita, K. Moritani and T. Mitsugashira 247 (1997) 197
Pb–17Li and lithium: A thermodynamic rationalisation of their radically different chemistry, P. Hubberstey 247 (1997) 208
Thermochemical modeling of actinide alloys related to advanced fuel cycles, T. Ogawa, M. Akabori, F. Kobayashi and R.G. Haire 247 (1997) 215
Heat capacity and phase transition of Zircaloy-4, T. Terai, Y. Takahashi, S. Masumura and T. Yoneoka 247 (1997) 222
Thermodynamic study on UPd_3 and $U(Pd_{0.85}Rh_{0.15})_3$, Y. Arita, N. Sasajima and T. Matsui 247 (1997) 232
Enthalpies of formation of $CeNi_2$ and $CeNi_5$ by calorimetry, B. Prabhakara Reddy, R. Babu, K. Nagarajan and P.R. Vasudeva Rao 247 (1997) 235
Influence of interstitial oxygen and nitrogen on hydrogen solubility in vanadium, S. Yamanaka, Y. Kashiwara, H. Sugiyama and M. Katsura 247 (1997) 244
Heat capacity measurements of V–Ti–Cr ternary alloys, T. Suzuki and T. Matsui 247 (1997) 249
Thermodynamics of the U–O and Zr-systems and application to analysis of fuel liquefaction during severe accidents in light water reactors, D.R. Olander and W.-E. Wang 247 (1997) 258
Characteristic thermodynamic properties of $M_yU_{1-y}O_{2+x}$ ($M = M^{4+}$, M^{3+} and M^{2+}; $x \gtrless 0$) solid solutions and the phase behavior of Mg solid solution in low oxygen pressures, T. Fujino, N. Sato and K. Yamada 247 (1997) 265
Studies on the oxygen potentials of (U_yTh_{1-y})-O_{2+x} solid solutions, S. Anthonysamy, K. Nagarajan and P.R. Vasudeva Rao 247 (1997) 273
Thermodynamics and phase equilibria of the system Ru–Te–O, G. Chattopadhyay, S. Vana Varamban and S.R. Bharadwaj 247 (1997) 277
An electrochemical investigation of the thermodynamic properties of $Na_2Mo_2O_7$ and Na_2NiO_2, T. Mathews, D. Krishnamurthy and T. Gnanasekaran 247 (1997) 280
Study of the thermodynamic properties of (U, Ce)O_2, K. Yamada, S. Yamanaka, T. Nakagawa, M. Uno and M. Katsura 247 (1997) 289
Phase diagram calculations of the U–Pu–N system with carbon and oxygen impurities, D.D. Sood, R. Agarwal and V. Venugopal 247 (1997) 293
Regularities of phase equilibria in the binary uranium tetrachloride systems and their thermodynamic interpretation, W. Gaweł 247 (1997) 301
Phase equilibria of $NdCl_3$–NaCl–KCl, Y. Hosoya, T. Terai, S. Tanaka and Y. Takahashi 247 (1997) 304
Study on the hydrogen solubility in zirconium alloys, S. Yamanaka, M. Miyake and M. Katsura 247 (1997) 315
Study on the Nb–O–H ternary system, S. Yamanaka, Y. Sannomiya, T. Minamiguchi and M. Katsura 247 (1997) 328
Hydrogen desorption properties of hydrogenated U–Th–Zr alloys, H. Suwarno, T. Yamamoto, F. Ono, K. Yamaguchi and M. Yamawaki 247 (1997) 333
Heat capacity measurement of $(Cr_{1-x}Fe_x)_3Te_4$ ($x = 0$–0.1) at high temperatures, K. Yasui, K. Ishida and T. Tsuji 247 (1997) 345

Thermophysical Properties

Thermodynamic properties of the UO_2–ZrO_2 system studied by the isothermal mass spectrometric vaporization method, V. Stolyarova, A. Shilov and M. Shultz 247 (1997) 41
Recovery behavior of thermal conductivity in irradiated UO_2 pellets, M. Amaya and M. Hirai 247 (1997) 76
Thermal expansion of neptunium–uranium mixed oxides, T. Yamashita, N. Nitani, T. Tsuji and T. Kato 247 (1997) 90
Specific heat of UO_2-based SIMFUEL, Hj. Matzke, P.G. Lucuta, R.A. Verrall and J. Henderson 247 (1997) 121
Study of the thermodynamic properties of (U, Ce)O_2, K. Yamada, S. Yamanaka, T. Nakagawa, M. Uno and M. Katsura 247 (1997) 289

Thorium, Thorium Alloys and Compounds

Studies on the oxygen potentials of (U_yTh_{1-y})-O_{2+x} solid solutions, S. Anthonysamy, K. Nagarajan and P.R. Vasudeva Rao 247 (1997) 273
Hydrogen desorption properties of hydrogenated U–Th–Zr alloys, H. Suwarno, T. Yamamoto, F. Ono, K. Yamaguchi and M. Yamawaki 247 (1997) 333
Development of new reactor fuel materials: hydrogenation properties of U–Th–Zr alloys and neutron irradiation effects on their hydrides, T. Yamamoto, H. Suwarno, H. Kayano and M. Yamawaki 247 (1997) 339

Titanium, Titanium Alloys and Compounds
Thermochemistry of IVA transition metal–oxygen solid solutions, T. Tsuji 247 (1997) 63

Uranium, Uranium Alloys and Compounds
Laser induced vaporization mass spectrometric studies on UO_2 and graphite, M. Joseph, N. Sivakumar, D.D.A. Raj and C.K. Mathews 247 (1997) 21
Thermodynamic properties of the UO_2–ZrO_2 system studied by the isothermal mass spectrometric vaporization method, V. Stolyarova, A. Shilov and M. Shultz 247 (1997) 41
Recovery behavior of thermal conductivity in irradiated UO_2 pellets, M. Amaya and M. Hirai 247 (1997) 76
Thermal expansion of neptunium–uranium mixed oxides, T. Yamashita, N. Nitani, T. Tsuji and T. Kato 247 (1997) 90
Phase equilibria in the UO_2–austenitic steel system up to 3000°C, H. Kleykamp 247 (1997) 103
Polygonization and high burnup structure in nuclear fuels, Hj. Matzke and M. Kinoshita 247 (1997) 108
The stoichiometry and the oxygen potential change of urania fuels during irradiation, K. Park, M.-S. Yang and H.-S. Park 247 (1997) 116
Specific heat of UO_2-based SIMFUEL, Hj. Matzke, P.G. Lucuta, R.A. Verrall and J. Henderson 247 (1997) 121
Formation of uranium and cerium nitrides by the reaction of carbides with NH_3 and N_2/H_2 stream, T. Nakagawa, H. Matsuoka, M. Sawa, M. Hirota, M. Miyake and M. Katsura 247 (1997) 127
High temperature steam oxidation of UO_2 fuel pellets, M. Imamura and K. Une 247 (1997) 131
Effect of external restraint on bubble swelling in UO_2 fuels, S. Kashibe and K. Une 247 (1997) 138
Thermodynamics of carbothermic synthesis of actinide mononitrides, T. Ogawa, Y. Shirasu, K. Minato and H. Serizawa 247 (1997) 151
Thermodynamic studies of uranium–gadolinium–carbon system through the carbothermic reduction of the oxides, R. Vidhya, M.P. Antony and P.R. Vasudeva Rao 247 (1997) 158
Actinides recovery from molten salt/liquid metal system by electrochemical methods, M. Iizuka, T. Koyama, N. Kondo, R. Fujita and H. Tanaka 247 (1997) 183
Thermochemical modeling of actinide alloys related to advanced fuel cycles, T. Ogawa, M. Akabori, F. Kobayashi and R.G. Haire 247 (1997) 215
Electrodeposition of uranium in stirred liquid cadmium cathode, T. Koyama, M. Iizuka, N. Kondo, R. Fujita and H. Tanaka 247 (1997) 227
Thermodynamic study on UPd_3 and $U(Pd_{0.85}Rh_{0.15})_3$, Y. Arita, N. Sasajima and T. Matsui 247 (1997) 232
Thermodynamics of the U–O and Zr-systems and application to analysis of fuel liquefaction during severe accidents in light water reactors, D.R. Olander and W.-E. Wang 247 (1997) 258
Characteristic thermodynamic properties of $M_yU_{1-y}O_{2+x}$ ($M = M^{4+}$, M^{3+} and M^{2+}; $x \gtrless 0$) solid solutions and the phase behavior of Mg solid solution in low oxygen pressures, T. Fujino, N. Sato and K. Yamada 247 (1997) 265
Studies on the oxygen potentials of $(U_yTh_{1-y})O_{2+x}$ solid solutions, S. Anthonysamy, K. Nagarajan and P.R. Vasudeva Rao 247 (1997) 273
Regularities of phase equilibria in the binary uranium tetrachloride systems and their thermodynamic interpretation, W. Gaweł 247 (1997) 301
Reactions of uranium nitride with platinum-family metals, M. Uno, K. Kurosaki and A. Nakamura 247 (1997) 322
Hydrogen desorption properties of hydrogenated U–Th–Zr alloys, H. Suwarno, T. Yamamoto, F. Ono, K. Yamaguchi and M. Yamawaki 247 (1997) 333
Development of new reactor fuel materials: hydrogenation properties of U–Th–Zr alloys and neutron irradiation effects on their hydrides, T. Yamamoto, H. Suwarno, H. Kayano and M. Yamawaki 247 (1997) 339

Vanadium, Vanadium Alloys and Compounds
Influence of interstitial oxygen and nitrogen on hydrogen solubility in vanadium, S. Yamanaka, Y. Kashiwara, H. Sugiyama and M. Katsura 247 (1997) 244
Heat capacity measurements of V–Ti–Cr ternary alloys, T. Suzuki and T. Matsui 247 (1997) 249

Vitrification
Vaporization behavior of neptunium mononitride, K. Nakajima, Y. Arai and Y. Suzuki 247 (1997) 33

Wastes
High temperature phase transitions of $CaTiO_3$ and $(Ca_{0.85}Nd_{0.15})TiO_3$ by X-ray diffractometry and differential thermal analysis, T. Matsui, H. Shigematsu, Y. Arita, Y. Hanajiri, N. Nakamitsu and T. Nagasaki 247 (1997) 72
Transpiration studies on the volatilities of $PuO_3(g)$ and $PuO_2(OH)_2(g)$ from $PuO_2(s)$ in the presence of steam and oxygen and application to plutonium volatility in mixed-waste thermal oxidation processors, O.H. Krikorian, A.S. Fontes Jr., B.B. Ebbinghaus and M.G. Adamson 247 (1997) 161
Thermochemistry of lanthanum, neodymium, samarium and americium trihydroxides and their relation to the corresponding hydroxycarbonates, L. Merli, B. Lambert and J. Fuger 247 (1997) 172
Light element thermodynamics related to actinide separations, I. Johnson and C.E. Johnson 247 (1997) 177
Identification of oxide phase and alloy phase obtained by heat treatment of calcined high level liquid waste with TiN reducing agent

at 1873 K, M. Uno, H. Kinoshita, C. Miyake and M. Horie 247 (1997) 191
Temperature effect on technetium(VII) extraction by CMPO and TBP, M. Takeuchi, S. Tanaka and M. Yamawaki 247 (1997) 203
Phase equilibria of $CaTiO_3$ doped with Ce, Nd and U, Y. Hanajiri, H. Yokoi, T. Matsui, Y. Arita, T. Nagasaki and H. Shigematsu 247 (1997) 285

Zirconium, Zirconium Alloys and Compounds

Thermodynamic properties of the UO_2–ZrO_2 system studied by the isothermal mass spectrometric vaporization method, V. Stolyarova, A. Shilov and M. Shultz 247 (1997) 41
Thermochemistry of IVA transition metal–oxygen solid solutions, T. Tsuji 247 (1997) 63
Heat capacity and phase transition of Zircaloy-4, T. Terai, Y. Takahashi, S. Masumura and T. Yoneoka 247 (1997) 222
High-temperature reaction of (U, Gd)O_2 with zirconium, S. Yamanaka, K. Tsujimoto, T. Yamanaka, M. Uno, M. Miyake and M. Katsura 247 (1997) 252
Thermodynamics of the U–O and Zr-systems and application to analysis of fuel liquefaction during severe accidents in light water reactors, D.R. Olander and W.-E. Wang 247 (1997) 258
Study on the hydrogen solubility in zirconium alloys, S. Yamanaka, M. Miyake and M. Katsura 247 (1997) 315
Development of new reactor fuel materials: hydrogenation properties of U–Th–Zr alloys and neutron irradiation effects on their hydrides, T. Yamamoto, H. Suwarno, H. Kayano and M. Yamawaki 247 (1997) 339